



WAXIE®
SANITARY SUPPLY

EMAIL

TO: TEST COMPANY FOR CAROL LYNN***
9311 HIGHWAY 101
FLORENCE, OR 97439

FROM: WAXIE SANITARY SUPPLY
9353 WAXIE WAY
SAN DIEGO, CA 92123-1350

ATTN: r

DATE: 2/20/09

Message:

If you do not receive all the pages listed please call RANDY HAMMOND
at 858-292-8111 in SAN DIEGO, CA at extension 772.

WAXIE Sanitary Supply - Corporate Headquarters - 9353 Waxie Way - San Diego, CA 92123-1012 - 858/292-8111 - Fax 858/279-6311
Anchorage, Boise, Denver, El Centro, Fairbanks, Idaho Falls, Kenai, Las Vegas, Los Angeles, Ontario, Palm Springs, Phoenix
Portland, Salt Lake City, San Diego, San Francisco, Santa Ana, Seattle, St. George, Tucson, Wenatchee



Identity # 320021-GAL, 320022-5/GL, 320025-55/GL Name BALANCE

Section 1

Manufactured For - Waxie Sanitary Supply

Address - 9353 Waxie Way Emergency Phone (Chem-Tel) 1-(800) 225-3924

City - San Diego State - CA 92123-1036 Phone - (800) 995-4466

Date Prepared 3/19/04

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components	CAS#	OSHA PEL	ACGIH TLV	Weight% (Optional)
None	NONE	NONE	NONE	

Note: NON CARCINOGENIC

VOC Content- 10 g/L

Section 3 - Physical/Chemical Characteristics

Boiling Point 210 F

Specific Gravity 1.01

Vapor Pressure - Not Tested

Melting Point - Not Tested

Vapor Density - Not Tested

Evaporation Rate - Not Tested

Solubility In Water 100%

Appearance and Odor- LT. YELLOW/LEMON ODOR

Section 4 - Fire and Explosion Hazard Data

Flash Point None

Flammable Limits - Not Tested

LEL- None

UEL- None

pH- 6.5 - 8

DOT# NONE

NFPA Hazard Rating - H F R S
(0- Least, 4- Extreme) 0 0 0 0

HMIS Hazard Rating H F R
0 0 0

Extinguishing Media CO2, DRY FOAM

Special Fire Fighting Procedure NONE

Unusual Fire and Explosion Hazards- NONE

Section 5 - Reactivity Data

Stability - Stable

Conditions to Avoid - None

Incompatible Materials to Avoid- None

Hazardous Decomposition or Byproducts- NONE

Hazardous Polymerization- WILL NOT OCCUR

Conditions to Avoid- None

Section 6 - Health Hazard Data

Routes of Entry

Inhalation? - Possible

Skin? - Possible

Ingestion? - Possible

Health Hazards - Same as Signs and Symptoms of Exposures

Note - All Chemicals in this Product are Found on the TSCA Inventory List.

OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

320021-GAL, 320022-5/GL, 320025-5

Signs and symptoms of over exposure:

Eyes - Burning Sensation

Skin - Not Expected to be a Problem

Ingestion May cause nausea

Inhalation - Not Expected to be a Problem

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin - Wash Off With Soap & Water

Ingestion - Drink Large Amounts of Water, Call Physician

Inhalation - See Above

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations.

Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CFR 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves - None

Eye Protection - None

Other Protective Clothing or Equipment - None

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirement

Note: Genlabs believes the data set forth are accurate, Genlabs makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion