



LONG BEACH UNIFIED SCHOOL DISTRICT

*Nutrition Services Branch*

3333 E. Airport Way, Long Beach, California 90806

Telephone: (562) 427-7923 • Fax: (562) 988-0263

**ADDENDUM TO BID NO. FS397-2223/IFB**

Date: May 25, 2022

Bid Name: Purchase of Paper, Plastic and Other Supplies

Addendum Number: 1

Attention Bidder:

You are hereby notified of the following changes, additions, or deletions to the bid titled above. Also see below questions asked verbatim and the responses based on our Department current need:

The following change shall be made to the bid listed above.

1. Question: Are electronic signatures approved for this bid?

Answer: Electronic signatures are approved.

2. Question: Bid Line 66, What type of tray, CPET, PS .. ect? What is going on inside?

Answer: Trays are a mixed of pressed paper board, CPET and RPET material. PS is not an approved material, refer to bid term and condition No. 48, Local Ban on Polystyrene Products. The product that goes in the trays vary from liquid to solid state items, that may require reheating.

3. Question: Bid line 69, Details on perforation: is it full, center? What type, CET, PC .. ect? What is going on inside?

Answer: Full perforation is preferred for this film. The tray material is CPET. PS is not an approved material, refer to bid term and condition No. 48, Local Ban on Polystyrene Products. The product that goes in the tray vary from liquid to solid state items, that may require reheating.

4. Question: Bid Line 70, What type of tray, CPET, PS..etc? What is going on inside?

Answer: The tray material is RPET. PS is not an approved material, refer to bid term and condition No. 48, Local Ban on Polystyrene Products. The product that goes in the tray is a salad.

5. Question: Also for these lines, samples are to be requested, for equals, correct?

Answer: If samples are needed, samples will be requested via email during the bid evaluation process. Refer to bid term and condition No. 45, Samples.

Approved by:



*For*

Lieling Hwang  
Interim Nutrition Services Director