



PATH OF TRAVEL
 DESIGN PROFESSIONAL IN GENERAL RESPONSIBLE CHARGE STATEMENT
 THE POT IDENTIFIED IN THESE CONSTRUCTION DOCUMENTS IS COMPLIANT WITH THE CURRENT APPLICABLE CALIFORNIA BUILDING CODE ACCESSIBILITY PROVISIONS FOR PATH OF TRAVEL REQUIREMENTS FOR ALTERATIONS, ADDITIONS AND STRUCTURAL REPAIRS. AS PART OF THE DESIGN OF THIS PROJECT, THE POT WAS EXAMINED AND ANY ELEMENTS, COMPONENTS OR PORTIONS OF THE POT THAT WERE DETERMINED TO BE NONCOMPLIANT 1) HAVE BEEN IDENTIFIED AND 2) THE CORRECTIVE WORK NECESSARY TO BRING THEM INTO COMPLIANCE HAS BEEN INCLUDED WITHIN THE SCOPE OF THIS PROJECT'S WORK THROUGH DETAILS, DRAWINGS AND SPECIFICATIONS INCORPORATED INTO THESE CONSTRUCTION DOCUMENTS. ANY NONCOMPLIANT ELEMENTS, COMPONENTS OR PORTIONS OF THE POT THAT WILL NOT BE CORRECTED BY THIS PROJECT BASED ON VALUATION THRESHOLD LIMITATIONS OR A FINDING OF UNREASONABLE HARDSHIP ARE SO INDICATED IN THESE CONSTRUCTION DOCUMENTS. DURING CONSTRUCTION, IF POT ITEMS WITHIN THE SCOPE OF THE PROJECT REPRESENTED AS CODE COMPLIANT ARE FOUND TO BE NONCONFORMING BEYOND REASONABLE CONSTRUCTION TOLERANCES, THEY SHALL BE BROUGHT INTO COMPLIANT WITH THE CBC AS A PART OF THIS PROJECT BY MEANS OF A CONSTRUCTION CHANGE DOCUMENT.

ACCESSIBILITY LEGEND
 ●●●●●●●●●● PATH OF TRAVEL
 (BARRIER-FREE ACCESS ROUTE WITHOUT ANY ABRUPT VERTICAL CHANGES EXCEEDING 1/2" BEVELED AT 1:2 MAXIMUM SLOPE EXCEPT THAT LEVEL CHANGES DO NOT EXCEED 1/4" VERTICAL AND IS AT LEAST 48" WIDE.
 SURFACE IS SLIP RESISTANT, STABLE, FIRM AND SMOOTH.
 CROSS SLOPE DOES NOT EXCEED 2% AND SLOPE IN THE DIRECTION OF TRAVEL IS LESS THAN 5% UNLESS OTHERWISE INDICATED.
 P.O.T. SHALL MAINTAIN FREE OF OVERHANGING OBSTRUCTIONS TO 8" MINIMUM (11B-307.4) AND PROTRUDING OBJECTS GREATER THAN 4" PROJECTION FROM WALL AND ABOVE 27" AND LESS THAN 80" (11B-204 AND 11B-307).
 ARCHITECT TO VERIFY THAT ALL BARRIERS IN THE P.O.T. HAVE BEEN REMOVED OR WILL BE REMOVED UNDER THIS PROJECT, AND PATH OF TRAVEL COMPLIES WITH CBC 11B-209 AND 11B-201.4.

THESE SHALL BE AN ACCESSIBLE P.O.T. IN THE CONSTRUCTION SUPPORT FACILITIES' AREA (TEMPORARY OR PERMANENT) SUCH AS BUT NOT LIMITED TO OFFICES, MEETING ROOMS, PLAN ROOMS, ADMINISTRATIVE, RELATED PARKING, AND BATHING/TOILETS, WHERE PORTABLE TOILET UNITS ARE PROVIDED, AT LEAST ONE ONE OF EACH TYPE SHALL BE ACCESSIBLE AND CONNECTED BY ACCESSIBLE ROUTE TO THE CONSTRUCTION SUPPORT FACILITIES' (EXCEPT AS NOTED IN 11B-203.2) DURING CONSTRUCTION, AN ACCESSIBLE ROUTE SHALL NOT BE REQUIRED BETWEEN SITE ARRIVAL POINTS OR BOUNDARY OF THE AREA OF CONSTRUCTION AND THE ENTRANCE TO THE CONSTRUCTION SUPPORT FACILITIES' IF THE ONLY MEANS OF ACCESS BETWEEN THEM IS A VEHICULAR WAY NOT PROVIDING PEDESTRIAN ACCESS.

--- PROPERTY LINE
 - - - - - FIRE ACCESS LANE
 [Hatched Box] (E) BUILDING NOT IN SCOPE
 [Dotted Box] EXISTING RESTROOM

DSA CERTIFICATION LIST
 CERTIFIED DSA PROJECTS:
 (NOTE: ALL DSA A NUMBERS ARE BASED ON DISTRICT'S AS BUILT DRAWINGS AND DOCUMENTS - NOT ALL A'S RECORDS WERE ACCESSIBLE VIA DSA WEBSITE)
 1. THE FOLLOWING PROJECT . AF 376 CLOSED
 2. THE FOLLOWING PROJECT . AF 7575 CLOSED
 3. THE FOLLOWING PROJECT . AF 14932 CLOSED
 4. THE FOLLOWING PROJECT . AF 49896 CLOSED
 5. THE FOLLOWING PROJECT . AF 101032 CLOSED WITH DSA CERTIFICATION ON 06/04/2011
 6. THE FOLLOWING PROJECT . AF 66908 CLOSED WITH DSA CERTIFICATION ON 09/13/2011
 7. THE FOLLOWING PROJECT . AF 03-114643 CLOSED WITH DSA CERTIFICATION ON 01/09/2014
 8. THE FOLLOWING PROJECT . AF 03-115582 CLOSED WITH DSA CERTIFICATION ON 05/24/2016

PARKING CALCULATION
 PARKING: STANDARD STALLS 5
 VAN ACCESSIBLE STALLS 1
 TOTAL PLOT STALLS 6

These drawings have been prepared as one coordinated set of drawings and are complimentary. What is required by one drawing is required by all of the drawings, even if a detail or component part is not identified on every sheet. Any user's reference to a single or selected few sheets of the drawings without consideration for the information included in the entire set of drawings will be at the user's sole risk, and shall not form the basis for a request for additional compensation or time.

Key Plan
 BLDG C, BLDG B, BLDG A, B6-14

Graphic Scale
 1" = 30'
 0 30 60 90

Long Beach Unified School District
 2425 Webster Avenue
 Long Beach, CA 90810

LBUSD No.:
 PTN No.: 64725-346
 Client: Facilities Management

ARCHITECT
PRBK
 234 East 17th Street
 Suite 200
 Costa Mesa, CA 92627
 Tel: 949-548-5000
 www.pbk.com

IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 FILE NO: 19-62
 AF: 03-118800
 AC: FLS: SS:
 DATE:

NAPLES ELEMENTARY SCHOOL
 5537 East The Toledo
 Long Beach, CA 90803

NAPLES ELEMENTARY SCHOOL PAVEMENT IMPROVEMENTS
 BID DOCUMENTS

MEASURE K SCHOOL BONDS
 Building for 21st Century Learning

REV.	DATE	DESCRIPTION

JOB No.: 17344
 SCALE: As indicated
 PROJ MGR: STEPHEN BULL
 DATE: 04/23/18

ACCESSIBILITY SITE PLAN

G0.51

ACCESSIBILITY SITE PLAN
 1" = 30' 1